



**ZHENGZHOU BAI-OTT NEW MATERIAL CO.,LTD**

中国. 郑州佰欧特新材料有限公司

Add.: NO.1Shangdu Road, New Eastern District, Zhengzhou,China - 450008 86-371-6348672



## Service

### ABOUT PRODUCT

Customized design; Safe and convenient operation

### ABOUT FACTORY

Comprehensive management process, leading technology and service team

### EXPERIENCE

Internationalization of business process; Rich experience of Non-standard design

### AFTERSERVICE

Uniform standard with special difference for each, Professional and Experienced service

[www.ssdzj.com](http://www.ssdzj.com) [www.zhanjiao.en.alibaba.com](http://www.zhanjiao.en.alibaba.com)

Tel/Wechat: +86 16696206785

Email : wendy@ramimtech.com

Whatsapp/Skyp: +86 16696206785

**Always earning a good belt or conveyor equipment repair solution for you!**

**BAI - OTT**



## Type 1: Rotate brander

Application	Temperature	Date sheet	
Rubber	350-400°C	Material	Copper.metal,plastic
Wooden	350-380°C	Voltage	220V
Leather	120-160°C	Weight	4.5kg
PU	80-120°C	Size	40*20*18cm
Plastic	120-140°C	Heating tube	3 strips
		Character size	6*9mm,7*10mm
		OEM	Available
		Temperature range	0-400°C
		Heating up time	15-20min

### Instructor:

1. Push the **SET** key can set the temperature.
2. Push **<** key can choose the single digit of temperature.
3. Push **^ v** key can adjust temperature.
4. Push **SET** key again to confirm the setting.
5. **PV** is actual temperature.
6. **SV** is setting temperature.



[www.ssdzj.com](http://www.ssdzj.com) [www.zhanjiao.en.alibaba.com](http://www.zhanjiao.en.alibaba.com)

Tel/Wechat: +86 16696206785

Email : wendy@ramimtech.com

Whatsapp/Skyp: +86 16696206785

**Always earning a good belt or conveyor equipment repair solution for you!**

**BAI - OTT**



## Type 2: Changeable brander

Application	Temperature	Date sheet	
Rubber	350-400°C	Material	Copper.metal,plastic
Wooden	350-380°C	Voltage	230V/Hz &110V/Hz
Leather	120-160°C	Weight	2.5kg
PU	80-120°C	Packing Size	50*16*12cm
Plastic	120-140°C	Characters	0-9numbers and A-Z letters
Harder materials	400-610°C	Character size	9*15mm
		Character weight	520g
		Temperature range	0-400°C
		Heating up time	15-20min
		Power	0.6kw

### Description:

**Apply to brander trademark, serial No. and date on the tire. Arrange the characters which will be branded in order and put into the "T" slotted (Max. Available for 10 characters) to preheat 10 minutes to reach the branding temperature it needs. Aim at the area which will be branded on the material surface to press down. Then the branding depth will be over 2mm after 2-3 seconds.**



[www.ssdzj.com](http://www.ssdzj.com) [www.zhanjiao.en.alibaba.com](http://www.zhanjiao.en.alibaba.com)

Tel/Wechat: +86 16696206785

Email : wendy@ramimtech.com

Whatsapp/Skyp: +86 16696206785

**Always earning a good belt or conveyor equipment repair solution for you!**

**BAI - OTT**





Tire date brander



Long arm tyre brander



Freight industry



The rubber industry



Public Transport Industry



Car rental industry





Tire industry



Packaging industry

# Certificates



[www.ssdzj.com](http://www.ssdzj.com) [www.zhanjiao.en.alibaba.com](http://www.zhanjiao.en.alibaba.com)

Tel/Wechat: +86 16696206785

Email : wendy@ramimtech.com

Whatsapp/Skyp: +86 16696206785

**Always earning a good belt or conveyor equipment repair solution for you!**

**BAI - OTT**

